

FIG. 1







FIG. 2


Appl.No. 10/678,957 Docket No.: 2183-6141US Amdt. Dated September 9, 2005 Reply to Office action of June 7, 2005 Replacement Sheet






.









Error Bars show Mean +/- 1.0 SD


Bars show Means




Appl.No. 10/678,957 Docket No.: 2183-6141US Amdt. Dated September 9, 2005 Reply to Office action of June 7, 2005 Replacement Sheet





Error Bars show Mean +/- 1.0 SD Bars show Means





Appl.No. 10/678,957 Docket No.: 2183-6141US Amdt. Dated September 9, 2005 Reply to Office action of June 7, 2005 Replacement Sheet
















Appl.No. 10/678,957 Docket No.: 2183-6141US Amdt. Dated September 9, 2005 Reply to Office action of June 7, 2005 Replacement Sheet










FIG. 11




13/21


Error Bars show Mean +/- 1.0 SD IFN - 4h after stroke onset IFN - 5h after reperfusion IFN - 2 days prior 图 IFN - upon reperfusion

Bars show Means




Appl.No. 10/678,957 Docket No.: 2183-6141US Amdt. Dated September 9, 2005 Reply to Office action of June 7, 2005 Replacement Sheet





16/21



Bars show Means

Error Bars show Mean +/- 1.0 SD

IFN - 4h after stroke onset

FIG. 16




FIG. 17

